

Syngenta Crop Protection, LLC Post Office Box 18300 Greensboro, NC 27419

In Case of Emergency, Call 1-800-888-8372

1. PRODUCT IDENTIFICATION

Product Name:	DEMAND G INSECTICIDE	Product No.:	A14556B
EPA Signal Word:	Caution		
Active Ingredient(%):	Lambda-Cyhalothrin (0.045%)	CAS No.:	91465-08-6
Chemical Name:	[1a(S*),3a(Z)]-cyano(3-phenoxyphenyl)methyl-3-(2-chlo dimethylcyclopropanecarboxylate	oro-3,3,3-trifluor	o-1-propenyl)-2,2-
Chemical Class:	A pyrethroid insecticide		
EPA Registration Numb	er(s): 100-1240	Section(s) Rev	vised: 3

2. HAZARDS IDENTIFICATION

Health and Environmental

Causes mild eye irritation.

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia. Vapors may cause drowsiness or dizziness. May be harmful if swallowed and enters airway.

Combustible powder.

Hazardous Decomposition Products

None known.

Physical Properties

Appearance: Brown solid

Odor: Paint

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

See also Sec. 7.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
Crystalline Silica, Quartz and Cristobalite	10 mg/m ³ /(%SiO2+2) (respirable dust)	0.025 mg/m ³ (respirable silica)	0.05 mg/m ³ (respirable dust) **	IARC 1; ACGIH 1
Particles, Not Otherwise Specified (PNOS)	15 mg/m ³ (total); 5 mg/m ³ (respirable)	Not Established	Not Established	No
Tetrahydrofurfuryl Alcohol (THFA)	Not Established	Not Established	0.5 ppm TWA ****	No
Lambda-Cyhalothrin (0.045%)	Not Established	Not Established	0.04 mg/m ³ TWA (skin) ***	No

** recommended by NIOSH

*** Syngenta Occupational Exposure Limit (OEL)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications. Syngenta Hazard Category: D

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison contol center or doctor, or going for treatment.

- Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Skin contact paresthesia effects (itching, tingling, burning or numbress) are transient, lasting up to 24 hours. Treat symptomatically.

Contains petroleum distillate - vomiting may cause aspiration pneumonia.

Medical Condition Likely to be Aggravated by Exposure

None known.

5. FIRE FIGHTING MEASURES

Fire and Explosion

Flash Point (Test Method):	Not Applicable	
Flammable Limits (% in Air):	Lower: Not Applicable	Upper: Not Applicable
Autoignition Temperature:	Not Available	
Flammability:	Combustible powder	

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

See also Sec. 7.

In Case of Fire

Use appropriate extinguishing media for combustibles in the area. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up

material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

This material is capable of forming flammable dust clouds in air, which, if ignited, can produce a dust cloud explosion. Flames, hot surfaces, mechanical sparks and electrostatic discharges can serve as ignition sources for this material. Electrical equipment should be compatible with the flammability characteristics of this material. The flammability characteristics will be made worse if the material contains traces of flammable solvents or is handled in the presence of flammable solvents.

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

- Ingestion: Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.
- Eye Contact: Where eye contact is likely, use dust-proof chemical goggles.
- Skin Contact: Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Stringent housekeeping measures are necessary to prevent translocation of the material from contaminated work surfaces to uncontaminated surfaces (railings, doors, etc.). Unprotected contact with such translocated material can result in paresthesia effects (see Section 11 of MSDS).

Inhalation: A combination particulate/organic vapor respirator should be used until effective engineering controls are installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH certified respirator with an organic vapor (OV) cartridge or canister with any R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

	Appearance:	Brown solid
	Odor:	Paint
	Melting Point:	Not Available
	Boiling Point:	Not Applicable
	Specific Gravity/Density:	47.4 lbs/ft3 typical @ 68°F (20°C)
	pH:	7.3 (1% in deionized H2O @ 77°F (25°C))
	Solubility in H2O	
	Lambda-Cyhalothrin :	0.004 mg/l
	Vapor Pressure	
	Lambda-Cyhalothrin :	1.5 x 10(-9) mmHg @ 68°F (20°C)
10.	STABILITY AND R	EACTIVITY

Stability:	Stable under normal use and storage conditions.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	None known.
Materials to Avoid:	None known.

Product Name: **DEMAND G INSECTICIDE**

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation	Studies (Finished Product)	
Ingestion:		
	Oral (LD50 Female Rat) :	> 5000 mg/kg body weight
Dermal:		
	Dermal (LD50 Rat) :	> 5050 mg/kg body weight
Inhalation:		
	Inhalation (LC50 Rat) :	Not Available
Eye Contact:	Minimally Irritating (Rabbit)	
Skin Contact:	Non-Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Lambda-Cyhalothrin : Not a developmental or reproductive toxicant.

Chronic/Subchronic Toxicity Studies

Lambda-Cyhalothrin : Reversible paresthesia (abnormal skin sensation). Reversible clinical signs of neurotoxicity in mammals.

Carcinogenicity

Lambda-Cyhalothrin : No treatment-related tumors in rats or mice.

Other Toxicity Information

In humans, contact with exposed skin may result in temporary itching, tingling, burning or numbness, called paresthesia. The effect may result from splash, aerosol, or hot vapor contact, or transfer to the face from contaminated gloves and hands. The symptoms normally disappear within 24 hours. Face and genital areas are especially susceptible to this effect. Paresthesia involving the face is also known as "subjective facial sensation" or SFS.

Toxicity of Other Components

Crystalline Silica, Quartz and Cristobalite

Chronic inhalation exposure to crystalline silica is known to cause silicosis and pulmonary fibrosis in humans. Experimental animals exposed to crystalline silica developed respiratory tract cancers.

Particles, Not Otherwise Specified (PNOS)

The carrier and one or more components are reported by the manufacturers to be nuisance dusts. Prolonged breathing of excessive dust may affect lung function.

Tetrahydrofurfuryl Alcohol (THFA)

Inhalation of vapors at high concentrations can cause central nervous system effects (dizziness, headache), irritation to eyes or respiratory tract. Chronic overexposure may affect the kidney.

Target Organs

<u>Active Ingredients</u> Lambda-Cyhalothrin : Liver, nervous system

Inert Ingredients

Crystalline Silica, Quartz and Cristobalite: Respiratory tract

Particles, Not Otherwise Specified (PNOS) : Lung

Tetrahydrofurfuryl Alcohol (THFA): CNS, Kidney

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects Lambda-Cyhalothrin : Fish (Rainbow Trout) 96-hour LC50 0.19 ppb Bird (Mallard Duck) LD50 Oral > 3950 mg/kg Invertebrate (Water Flea) 48-hour EC50 0.04 ppb

Environmental Fate

Lambda-Cyhalothrin:

The information presented here is for the active ingredient, lambda-cyhalothrin. Not persistent in soil or water. Immobile in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification Ground Transport - NAFTA Not regulated.

Comments

Water Transport - International Proper Shipping Name: Environmentally Hazardous Substance Solid, N.O.S. (Lambda-Cyhalothrin), Marine Pollutant Hazard Class: Class 9 Identification Number: UN 3077 Packing Group: PG III

Air Transport Proper Shipping Name: Environmentally Hazardous Substance Solid, N.O.S. (Lambda-Cyhalothrin) Hazard Class: Class 9 Identification Number: UN 3077 Packing Group: PG III

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard Chronic Health Hazard Fire Hazard Section 313 Toxic Chemicals: Not Applicable California Proposition 65 Not Applicable CERCLA/SARA 302 Reportable Quantity (RQ) None RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

<u>TSCA Status</u> Exempt from TSCA, subject to FIFRA

	TION				
FPA Hazard Ratings		HMIS Hazard Rating	<u>zs</u>	0	Minimal
Health:	2	Health:	2	1	Slight
Flammability:	2	Flammability:	2	2	Moderate
Instability:	0	Reactivity:	0	3	Serious
·				4	Extreme
Original Issued Data	0/15/2005	1-800-334-9	481		
Original Issued Date:	9/15/2005	D 1	1 15 10 0 1 1		
Revision Date:	7/21/2011	Replaces:	1/5/2011		

End of MSDS