Material Safety Data Sheet TRANSPORT® MIKRON INSECTICIDE

MSDS #: 6549-A

Revision Date: 2013-10-11 **Version** 1.01



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 And Canadian Workplace Hazardous Materials Information System (WHMIS) requirements.

1. PRODUCT AND COMPANY IDENTIFICATION

| Product name | TRANSPORT® MIKRON INSECTICIDE |
|---|--|
| Active Ingredient(s) | Bifenthrin, Acetamiprid |
| Synonyms | FMC 54800; (2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC: 2-methylbiphenyl-3-ylmethyl (Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate; (E)-1-(6-chloro-3-pyridylmethyl)-N-nitroimidazolidin-2-ylideneamine;(2E)-1-[(6-chloro-3-pyridinyl)methyl]-N-n itro-2-imidazolidinimine |
| Chemical Family | Pyrethroid Pesticide, Neonicotinoid |
| <u>Manufacturer</u> | Emergency telephone number |
| FMC Corporation Agricultural Products Group 1735 Market Street Philadelphia, PA 19103 General Information: Phone: (215) 299-6000 E-Mail: msdsinfo@fmc.com | For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries) Medical Emergencies: 1 800 / 331-3148 (PROSAR - U.S.A. & Canada) 1 651 / 632-6793 (PROSAR - All Other Countries - Collect) |

2. HAZARDS IDENTIFICATION

| <u>Appearance</u> | liquid |
|---|---|
| Physical state | Liquid |
| <u>Odor</u> | No information available. |
| <u>Potential health effects</u> Principle Routes of Exposure | Skin contact, Eye contact, Inhalation. Ingestion. |
| Acute effects Eyes Skin Inhalation Ingestion | May cause slight irritation. Substance may cause slight skin irritation. Harmful by inhalation. May cause irritation of respiratory tract. Harmful if swallowed. May cause central nervous system depression. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. |
| Chronic effects | Prolonged exposure may cause chronic effects. See Section 11 for additional Toxicological Information. |

Environmental hazard

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

| Chandrad Marco | CACN | | |
|--|--|----------------|--|
| Chemical Name | CAS-No 108-32-7 | Weight % 10-20 | |
| Propylene Carbonate S Bifenthrin | | | |
| | <u>82657-04-3</u> 135410-20-7 | 6 5 | |
| Acetamiprid | 135410-20-7 | 5 | |
| | 4. FIRST AID MEASURE | ES | |
| Eye contact | Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. | | |
| Skin contact | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. | | |
| Inhalation | Move person to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. | | |
| Ingestion | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not induce vomiting or give anything by mouth to an unconscious person. | | |
| Notes to physician | This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided. | | |
| | 5. FIRE-FIGHTING MEASU | JRES | |
| Flash Point Sensitivity to Mechanical Impact Sensitivity to Static Discharge | 110 °C / 230 °F Not applicable Not applicable | | |
| Suitable extinguishing media | Use CO2, dry chemical, or foam. | | |
| Protective equipment and precautions for firefighters | As in any fire, wear self-contained breathing apparatus and full protective gear. | | |
| NFPA Health Hazard 2 Flammability 1 Stability 0 Special Hazards - | | | |

| | Version 1.01 |
|--------------------------------|---|
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8. |
| Environmental precautions | Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains. |
| Methods for containment | Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. |
| Methods for cleaning up | Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. |
| Other | For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above. |
| | 7. HANDLING AND STORAGE |
| Handling | Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal. |
| Storage | Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Store in original container only. |
| 8. E. | XPOSURE CONTROL / PERSONAL PROTECTION |
| Exposure guidelines | This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. |
| Occupational exposure controls | |
| Engineering measures | Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment. |
| Personal Protective Equipment | |
| General Information | If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied. |
| Respiratory protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations. |
| Eye/face protection | For dust, splash, mist or spray exposure, wear chemical protective goggles or a face-shield. Tightly fitting safety goggles |
| Skin and body protection | Wear long-sleeved shirt, long pants, socks, shoes, and gloves. |
| Hand protection | Protective gloves |
| Hygiene measures | Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry. |
| | A DIWEICAL AND CHEMICAL DRODEDTIES |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

TRANSPORT® MIKRON INSECTICIDE

MSDS #: 6549-A Revision Date: 2013-10-11 Version 1.01

Appearance Physical state Odor pH Melting Point/Range Freezing point Boiling Point/Range Flash Point Evaporation rate Vapor pressure Vapor density Density Water solubility Percent volatile Partition coefficient: Viscosity

liquid Liquid No information available. 5.5 No information available. Not applicable Not applicable 110 °C / 230 °F Not applicable No information available. 1.064 g/mL (8.89 lb/gal) 8.885 lb/gal No information available No information available. Not applicable No data available

10. STABILITY AND REACTIVITY

| Stability | Stable. |
|----------------------------------|--|
| Conditions to avoid | Heat, flames and sparks. |
| Materials to avoid | Strong oxidizing agents. Strong acids. Strong bases. |
| Hazardous decomposition products | Carbon oxides, Hydrogen chloride, Hydrogen fluoride, Chlorine, Fluorine. |
| Hazardous polymerization | Hazardous polymerization does not occur. |

11. TOXICOLOGICAL INFORMATION

Acute effects

Acute Toxicity

Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including convulsions, tremors and bloody nasal discharge. Bifenthrin does not cause acute delayed neurotoxicity. Experience to date indicates that contact with bifenthrin may occasionally produce skin sensations such as rashes, numbing, burning or tingling. These sensations are reversible and usually subside within 12 hours.

| Eye contact Skin contact | Slightly or non-irritating (rabbit) Slightly or non-irritating (rabbit). |
|--|--|
| LD50 Dermal LD50 Oral LC50 Inhalation: | > 5,000 mg/kg (Rat) 1,035 mg/kg (Rat) 2.2 mg/L 4 hr (Rat) - Maximum attainable concentration (zero mortality) |
| Sensitization | Non-sensitizing |
| Chronic effects | |
| Chronic Toxicity | Prolonged exposure may cause chronic effects. See Section 11 for additional Toxicological Information. |
| Carcinogenicity | Bifenthrin, Acetamiprid: No evidence of carcinogenicity from animal studies. |
| Mutagenicity | Bifenthrin, Acetamiprid: Not genotoxic. |
| Reproductive toxicity | Bifenthrin, Acetamiprid: No toxicity to reproduction. |
| Neurological Effects | Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may disappear with continued exposure. |

Developmental Toxicity

Bifenthrin, Acetamiprid: Not teratogenic in animal studies.

Target Organ Effects

Bifenthrin: A slight increase in male mouse urinary bladder tumors at the highest dose was probably not of toxicological concern.

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Bifenthrin (82657-04-3) | | | | |
|-------------------------|-----------|-------------------|-------------|--------|
| Active Ingredient(s) | Duration | Species | Value | Units: |
| Bifenthrin | EC50 | Aquatic organisms | 0.11 - 0.57 | μg/L |
| Bifenthrin | 96 h LC50 | Fish | 0.1 - 2.0 | μg/L |
| Bifenthrin | LD50 Oral | Bobwhite quail | >1800 | mg/kg |
| Bifenthrin | LD50 Oral | Mallard duck | >2150 | mg/kg |
| Bifenthrin | LD50 | Bee | 0.1 | μg/bee |

| Acetamiprid (135410-20-7) | | | | |
|---------------------------|-----------|----------------|-------|--------|
| Active Ingredient(s) | Duration | Species | Value | Units: |
| Acetamiprid | 72 h EC50 | Algae | >98.3 | mg/L |
| | 24 h EC50 | Daphnia | >200 | mg/L |
| | 48 h LC50 | Fish | >100 | mg/L |
| | LD50 | Bee | 7.1 | μg/bee |
| | LD50 | Bobwhite quail | >180 | mg/kg |

| Chemical Name | Toxicity to algae | Toxicity to fish | Toxicity to microorganisms | Toxicity to daphnia and other aquatic invertebrates |
|-----------------------|---------------------------|--|----------------------------|---|
| Propylene Carbonate S | (Desmodesmus subspicatus) | LC50= 5300 mg/L Leuciscus idus 96 h LC50> 1000 mg/L Cyprinus carpio 96 h | | EC50 > 500 mg/L 48 h |
| Bifenthrin | | LC50 0.0001 - 0.00019 mg/L Oncorhynchus mykiss 96 h LC50 0.0003 - 0.00038 mg/L Lepomis macrochirus 96 h | | EC50 0.00135 - 0.00195 mg/L 48 h |

Environmental Fate

| Active Ingredient(s) | Type of Test | Result |
|----------------------|-------------------------------|--|
| Bifenthrin | Bioconcentration factor (BCF) | 1709 |
| Bifenthrin | Half-life in soil | ~85 days |
| Bifenthrin | log Pow | 6.6 |
| Bifenthrin | Mobility in soil | Not expected to reach groundwater |
| Bifenthrin | Stability in water | Stable to hydrolysis over a wide range of pH values. |

| Acetamiprid (135410-20-7) | | |
|---------------------------|-------------------------------|-------------------------------|
| Active Ingredient(s) | Type of Test | Result |
| Acetamiprid | Bioconcentration factor (BCF) | Low bioaccumulation potential |

| Chemical Name | log Pow |
|-----------------------|---------|
| Propylene Carbonate S | 0.48 |

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.

TRANSPORT® MIKRON INSECTICIDE

| Contaminated packaging | Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions. | | | |
|---|--|--|--|--|
| 14. TRANSPORT INFORMATION | | | | |
| DOT | This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185. | | | |
| TDG UN/ID No Hazard Class Packing group Marine pollutant Description | Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only. UN3082 9 III Bifenthrin. UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin), 9, PGIII, Marine Pollutant | | | |
| <u>ICAO/IATA</u> UN/ID No Hazard Class Packing group Marine pollutant Description | UN3082 9 III Bifenthrin UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin), 9, PGIII, Marine Pollutant | | | |
| IMDG/IMO UN/ID No Hazard Class Packing group EmS No. Marine pollutant Description | UN3082 9 III F-A, S-F Bifenthrin UN3082, Environmentally hazardous substance, liquid, n.o.s. (Bifenthrin), 9, PGIII, Marine Pollutant | | | |

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name | CAS-No | Weight % | SARA 313 - Threshold Values |
|---------------|------------|----------|-----------------------------|
| Bifenthrin | 82657-04-3 | 6 | 1.0 |

SARA 311/312 Hazard Categories

| Acute Health Hazard | ves |
|-----------------------------------|-----|
| Chronic Health Hazard | yes |
| Fire Hazard | no |
| Sudden Release of Pressure Hazard | no |
| Reactive Hazard | no |
| | |

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

International Regulations

Mexico - Grade

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

Non-controlled

Slight risk, Grade 1

16. OTHER INFORMATION

Revision Date: Reason for revision: 2013-10-11 (M)SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By

FMC Corporation FMC Logo - Trademark of FMC Corporation

© 2013 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet