

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : Zoecon Petcor² Flea & Tick Spray
Synonyms : EPA Reg. No.: 2724-797-89459,100543476, RF2063 Pet Spray

1.2. Recommended use and restrictions on use

Recommended use : Insecticide. Insect growth regulator.
Restrictions on use : Keep out of reach of children. Do not use or store near heat or open flame. Avoid contact with eyes, skin or clothing.

1.3. Supplier

Central Garden & Pet Company
1501 E. Woodfield Road, Suite 200W
Schaumburg, IL 60173 - United States

www.zoecon.com

1.4. Emergency telephone number

Emergency number : 1-800-248-7763
1-800-424-9300 - CHEMTREC
1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquids Category 3	Flammable liquid and vapor
Serious eye damage/eye irritation Category 2A	Causes serious eye irritation
Specific target organ toxicity (single exposure) Category 3	May cause drowsiness or dizziness

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US) :



GHS02

GHS07

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Flammable liquid and vapor
Causes serious eye irritation
May cause drowsiness or dizziness

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed.
Ground/Bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash hands, forearms and face thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a poison center or doctor if you feel unwell.

Zoecon Petcor² Flea & Tick Spray

Safety Data Sheet

If eye irritation persists: Get medical advice/attention.
In case of fire: Use media to extinguish.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
(s)-Methoprene Technical	(CAS-No.) 65733-16-6	0.27
Etofenprox	(CAS-No.) 80844-07-1	0.5
Piperonyl butoxide	(CAS-No.) 51-03-6	1.75
2-Propanol, 1-methoxy	(CAS-No.) 107-98-2	81.79
Non-hazardous and/or does not meet criteria for classification	(CAS-No.) N/A	Balance

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water, Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after eye contact : Causes eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical. Foam. Water spray.

Unsuitable extinguishing media : Avoid heavy hose streams.

5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor.

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Evacuate area. Do not allow fire fighting water to escape into waterways or sewers. Eliminate all ignition sources if safe to do so.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Zoecon Petcor² Flea & Tick Spray

Safety Data Sheet

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.

Emergency procedures : ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate unnecessary personnel. Stop leak if safe to do so. Ventilate area. Stay upwind. Wear appropriate personal protective equipment, avoid direct contact.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. Keep away from fire, sparks, and heated surfaces. Non-sparking tools should be used.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not refrigerate. Store in a cool (below 77°F/25°C) dry place inaccessible to children and pets. Store in original container. Store locked up.

Incompatible materials : Heat, sparks, open flame.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

2-Propanol, 1-methoxy (107-98-2)		
ACGIH	ACGIH TWA (ppm)	50 ppm
ACGIH	ACGIH STEL (ppm)	100 ppm
ACGIH	Remark (ACGIH)	Eye irr; CNS impair; A4 (Not classifiable as a Human Carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories)
NIOSH	NIOSH REL (TWA) (mg/m ³)	360 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	100 ppm
NIOSH	NIOSH REL (STEL) (mg/m ³)	540 mg/m ³
NIOSH	NIOSH REL (STEL) (ppm)	150 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Environmental exposure controls : Avoid release to the environment.

Zoecon Petcor² Flea & Tick Spray

Safety Data Sheet

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, use NIOSH approved respiratory protection.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Pale yellow liquid
Color	: Pale yellow
Odor	: No data available
Odor threshold	: No data available
pH	: 6.38
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 41 °C (105.8 °F)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 0.9544 20°C (68°F)
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Zoecon Petcor² Flea & Tick Spray

Safety Data Sheet

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Zoecon Petcor ² Flea & Tick Spray	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

GHS-US Properties	Classification
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	May cause drowsiness or dizziness.
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified

Potential health effects

Inhalation

Acute : May affect the central nervous system. Symptoms may include dizziness or drowsiness.

Skin

Acute : Under normal conditions of use, no health effects are expected.

Chronic : Prolonged and repeated exposure to Etofenprox can cause skin irritation.

Eye

Acute : Causes serious eye irritation.

Ingestion

Acute : Under normal conditions of use, no health effects are expected.

Mutagenicity

: (s)-Methoprene has been tested and found negative for mutagenicity potential. Etofenprox has been found negative for mutagenicity potential using the Ames test, chromosomal aberration and micronucleus test methods. Piperonyl butoxide was not mutagenic in a battery of tests.

Carcinogenicity

: (s)-Methoprene is not classified as a carcinogen by NTP, IARC or OSHA. Etofenprox is not classified as carcinogen by NTP, IARC and OSHA. Piperonyl butoxide is not classified as carcinogen by NTP, IARC and OSHA.

Reproductive Effects

: (s)-Methoprene is not a reproductive toxin and does not cause birth defects. Etofenprox did not produce teratogenic or reproductive effects in laboratory experiments. Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits.

SECTION 12: Ecological information

12.1. Toxicity

(s)-Methoprene Technical (65733-16-6)	
LC50 Acute fish 1	0.76 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	> 0.37 mg/l (Exposure time: 96h - Blue gill)
LC50 Acute crustacea 1	0.11 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.36 mg/l (Exposure time: 48h - Daphnia magna)
NOEC Chronic fish 1	0.048 mg/l (Fathead minnow)

Zoecon Petcor² Flea & Tick Spray

Safety Data Sheet

(s)-Methoprene Technical (65733-16-6)	
NOEC Chronic crustacea 1	0.014 mg/l (Mysid shrimp)
Etofenprox (80844-07-1)	
LC50 Acute fish 1	0.0027 mg/l (Exposure time: 96h - Rainbow trout)
LC50 Acute fish 2	> 0.0165 (Exposure time: 96h - Sheepshead minnow)
LC50 Acute crustacea 1	0.0000188 mg/l (Exposure time: 96h - Mysid shrimp)
LC50 Acute crustacea 2	0.0008 mg/l (Exposure time: 48h - Daphnia magna)
NOEC Chronic crustacea 1	0.00017 mg/l (Daphnia magna)
Piperonyl butoxide (51-03-6)	
LC50 Acute fish 1	1.9 mg/l (Exposure time: na - Rainbow trout)
LC50 Acute fish 3	3.94 mg/l (Exposure time: na - Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Exposure time: na - Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l (Exposure time: na - Gammarus fasciatus (amphipod))
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic fish 2	0.04 mg/l Fathead minnow
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)
LOEC (chronic)	0.11 mg/l (Fathead minnow) 0.047 mg/l (Daphnia magna)

12.2. Persistence and degradability

(s)-Methoprene Technical (65733-16-6)	
Persistence and degradability	(s)-Methoprene degrades rapidly in sunlight, both in water and on inert surfaces. The pesticide also is metabolized rapidly in soil and does not leach. Thus, it should not persist in soil or contaminate ground water.
Etofenprox (80844-07-1)	
Persistence and degradability	Etofenprox is not readily biodegradable.

12.3. Bioaccumulative potential

Piperonyl butoxide (51-03-6)	
Partition coefficient n-octanol/water (Log Kow)	4.75
2-Propanol, 1-methoxy (107-98-2)	
BCF fish 1	< 2
Partition coefficient n-octanol/water (Log Pow)	-0.437

12.4. Mobility in soil

(s)-Methoprene Technical (65733-16-6)	
Mobility in soil	Rapidly metabolized in soil under both aerobic and anaerobic conditions (half-life 10-14 days).

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Additional information : Flammable vapors may accumulate in the container.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
IMDG	UN3092	1-Methoxy-2-propanol (Etofenprox)	3	III	Marine pollutant

Zoecon Petcor² Flea & Tick Spray

Safety Data Sheet

IATA	UN3092	1-Methoxy-2-propanol	3	III	Not applicable
------	--------	----------------------	---	-----	----------------

Other Information : DOT: Combustible liquid exception for DOT ground transport at 49CFR173.150(f)

SECTION 15: Regulatory information

15.1. US Federal regulations

Piperonyl butoxide (51-03-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Subject to reporting requirements of United States SARA Section 313

SARA Section 313 - Emission Reporting | 1 %

2-Propanol, 1-methoxy (107-98-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

FIFRA Labelling

EPA Registration Number | 2724-797-89459

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

FIFRA Signal word | **Caution**

FIFRA Precautionary Statement | KEEP OUT OF REACH OF CHILDREN.

FIFRA Hazards to Humans and Domestic Animals | HAZARDS TO HUMANS: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Repeat exposure to etofenprox can cause skin irritation. HAZARDS TO DOMESTIC ANIMALS: Do not use on puppies less than 10 weeks or kittens less than 12 weeks old. For external use only. Drooling may be observed for a short period of time immediately following product application. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals, or animals on medications. Avoid contact with eyes. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Cats: In some cases, excessive salivation and ear and paw flicking may occur; however, these effects are temporary and not harmful.

FIFRA First Aid | If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

FIFRA Physical Hazard | Combustible. Do not use or store near heat or open flame.

15.2. US State regulations

No additional information available

SECTION 16: Other information

Date of issue : 09 June 2020

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.