

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date : 2024/06/25  
Version: 4.0

Page: 1/13  
(30780182/SDS\_CPA\_US/EN)

### 1. Identification

#### Product identifier used on the label

## Ridesco WG Insecticide

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, insecticide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF CORPORATION  
100 Park Avenue  
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

#### Emergency telephone number

##### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: 1-800-832-HELP (4357)

#### Other means of identification

Substance number: 956024  
Registration number: EPA Registration number: 7969-470  
Synonyms: Dinotefuran + Alphacypermethrin

---

### 2. Hazards Identification

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### Classification of the product

Acute Tox.	4 (oral)	Acute toxicity
Skin Corr./Irrit.	2	Skin corrosion/irritation
Eye Irrit.	2A	Eye irritation
STOT SE	3 (irritating to)	Specific target organ toxicity — single exposure

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25

Version: 4.0

Page: 2/13

(30780182/SDS\_CPA\_US/EN)

STOT RE	respiratory system) 2	Specific target organ toxicity — repeated exposure
Aquatic Acute	1	Hazardous to the aquatic environment - acute
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic
Combustible Dust	Combustible Dust (1)	Combustible Dust

### Label elements

Pictogram:



Signal Word:  
Warning

Hazard Statement:

H319	May form combustible dust concentration in air.
H315	Causes serious eye irritation.
H302	Causes skin irritation.
H335	Harmful if swallowed.
H373	May cause respiratory irritation.
H400	May cause damage to organs (Nervous system) through prolonged or repeated exposure.
H410	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection or face protection.
P271	Use only outdoors or in a well-ventilated area.
P260	Do not breathe dust/gas/mist/vapours.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314	Get medical advice/attention if you feel unwell.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P330	Rinse mouth.
P391	Collect spillage.
P332 + P313	If skin irritation occurs: Get medical attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25  
Version: 4.0

Page: 3/13  
(30780182/SDS\_CPA\_US/EN)

### Hazards not otherwise classified

Labeling of special preparations (GHS):

May cause paraesthesia. Contains: alpha-cypermethrin

## 3. Composition / Information on Ingredients

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Dinotefuran technical

CAS Number: 165252-70-0

Content (W/W): 20.0 %

Synonym: 1 Guanidine, N"-methyl-N-nitro-N'-[(tetrahydro-3-furanyl)methyl]-

alpha-cypermethrin

CAS Number: 67375-30-8

Content (W/W): 10.0 %

Synonym: alpha-cypermethrin

## 4. First-Aid Measures

### Description of first aid measures

#### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### If on skin:

Wash thoroughly with soap and water

#### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

### Indication of any immediate medical attention and special treatment needed

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25  
Version: 4.0

Page: 4/13  
(30780182/SDS\_CPA\_US/EN)

### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:  
carbon dioxide

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, carbon dioxide, Hydrogen chloride, nitrogen oxides, cyanides, halogenated compounds

The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Wear self-contained breathing apparatus and chemical-protective clothing.

### Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Avoid raising dust. Sweep/shovel up. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

## 7. Handling and Storage

### Precautions for safe handling

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25

Version: 4.0

Page: 5/13

(30780182/SDS\_CPA\_US/EN)

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid dust formation. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

---

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

### Components with occupational exposure limits

alpha-Cypermethrin TWA value 0.11 mg/m<sup>3</sup> ;

### Personal protective equipment

**RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:**

#### **Respiratory protection:**

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### **Hand protection:**

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### **Eye protection:**

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles).

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25

Version: 4.0

Page: 6/13

(30780182/SDS\_CPA\_US/EN)

### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

Form:	solid
Odour:	odourless
Odour threshold:	not applicable, odour not perceivable
Colour:	white
pH value:	approx. 3 - 5 ( 20 °C)
Melting point:	approx. 133 °C Information based on the main component/s.
Boiling point:	The product has not been tested.
Flash point:	not applicable, the product is a solid
Flammability:	not flammable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
SADT:	> 75 °C
Vapour pressure:	not applicable
Bulk density:	approx. 491 kg/m <sup>3</sup>
Vapour density:	not applicable
Partitioning coefficient n-octanol/water (log Pow):	The statements are based on the properties of the individual components.
<i>Information on: Dinotefuran technical</i>	
Partitioning coefficient n-octanol/water (log Pow):	-0.549 ( 25 °C)
-----	
Self-ignition temperature:	> 410 °C No self ignition was observed up to the specified temperature.
Thermal decomposition:	140 °C, 900 kJ/kg (onset temperature) Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.
Viscosity, dynamic:	not applicable, the product is a solid

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25  
Version: 4.0

Page: 7/13  
(30780182/SDS\_CPA\_US/EN)

Solubility in water: ( 20 °C)  
dispersible  
Evaporation rate: not applicable

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:  
not fire-propagating

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

#### Incompatible materials

strong acids, strong bases, strong oxidizing agents

#### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

140 °C

(onset temperature)

Not a substance liable to self-decomposition according to UN transport regulations, class 4.1.

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Oral

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25

Version: 4.0

Page: 8/13

(30780182/SDS\_CPA\_US/EN)

Type of value: LD50  
Species: rat  
Value: > 500 - < 2,000 mg/kg

### Inhalation

*Information on: alpha-cypermethrin*  
Type of value: LC50  
Species: rat (female)  
Value: 2.29 mg/l (OECD Guideline 403)  
Exposure time: 4 h  
Tested as dust aerosol.

*Information on: Dinotefuran technical*  
Type of value: LC50  
Species: rat (male/female)  
Value: > 4.09 mg/l

-----

### Dermal

Type of value: LD50  
Species: rat  
Value: > 5,000 mg/kg

### Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation / corrosion

Assessment of irritating effects: Skin contact causes slight irritation. Eye contact causes irritation.

### Skin

Species: rabbit

### Eye

Species: rabbit  
Result: Irritant.

### Sensitization

Assessment of sensitization: No sensitizing effect.

Buehler test

Species: guinea pig  
Result: Non-sensitizing.

### Aspiration Hazard

not applicable

## **Chronic Toxicity/Effects**

Repeated dose toxicity



# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25  
Version: 4.0

Page: 9/13  
(30780182/SDS\_CPA\_US/EN)

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: alpha-cypermethrin*

*Assessment of repeated dose toxicity: Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.*

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Citric acid*

*Assessment of mutagenicity: The substance was not mutagenic in bacteria. The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.*

-----

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Other Information

Misuse can be harmful to health.

---

## 12. Ecological Information

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Toxicity to fish

*Information on: Dinotefuran technical*

*LC50 (96 h) > 100 mg/l, Cyprinus carpio*

*Information on: alpha-cypermethrin*

*LC50 (96 h) 0.00093 mg/l, Pimephales promelas (OPP 72-1 (EPA-Guideline), Flow through.)*

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25

Version: 4.0

Page: 10/13

(30780182/SDS\_CPA\_US/EN)

-----  
Aquatic invertebrates

*Information on: Dinotefuran technical*  
EC50 (48 h) > 1,000 mg/l, *Daphnia magna*  
EC50 (96 h) 0.79 mg/l, *Mysidopsis bahia*  
LC50 (48 h) 0.0721 mg/l, *Chironomus riparius*

*Information on: alpha-cypermethrin*  
EC50 (48 h) 12,6 ng/l, *Chironomus riparius*

-----

Aquatic plants

*Information on: Dinotefuran technical*  
EC50 (72 h) 97.6 mg/l (biomass), *Pseudokirchneriella subcapitata*

*Information on: alpha-cypermethrin*  
EC50 (7 d) > 0.00139 mg/l (growth rate), *Lemna gibba* (OECD Guideline 201)  
No observed effect concentration (7 d) > 0.00139 mg/l (growth rate), *Lemna gibba* (OECD Guideline 221, static)  
EC50 (72 h) > 0.027 mg/l (growth rate), *Anabaena flos-aquae* (OECD Guideline 201)

-----

Chronic toxicity to fish

*Information on: alpha-cypermethrin*  
No observed effect concentration (34 d) 0,03 µg/L, *Pimephales promelas* (OPP 72-4 (EPA-Guideline), Flow through.)

-----

Chronic toxicity to aquatic invertebrates

*Information on: Dinotefuran technical*  
No observed effect concentration 0.089 mg/l, *Mysidopsis bahia*  
No observed effect concentration (27 d) 0.003 mg/l, *Chironomus riparius*

*Information on: alpha-cypermethrin*  
No observed effect concentration (21 d) 0,03 µg/L, *Daphnia magna* (OPP 72-4 (EPA-Guideline), semistatic)

-----

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O)

The product has not been tested. The statement has been derived from the properties of the individual components.

Assessment biodegradation and elimination (H<sub>2</sub>O)

*Information on: Dinotefuran technical*

Not readily biodegradable (by OECD criteria).

*Information on: alpha-cypermethrin*

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25  
Version: 4.0

Page: 11/13  
(30780182/SDS\_CPA\_US/EN)

*Not readily biodegradable (by OECD criteria).*  
-----

### Bioaccumulative potential

#### Assessment bioaccumulation potential

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Assessment bioaccumulation potential

*Information on: Dinotefuran technical*

*Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.*  
-----

#### Bioaccumulation potential

*Information on: alpha-cypermethrin*

*Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)*  
-----

### Mobility in soil

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Dinotefuran technical*

*Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.*

*Information on: alpha-cypermethrin*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*  
-----

### Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

Must be disposed of or incinerated in accordance with local regulations.

### **Container disposal:**

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations.

Consult state or local disposal authorities for approved alternative procedures such as container

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25  
Version: 4.0

Page: 12/13  
(30780182/SDS\_CPA\_US/EN)

recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

### 14. Transport Information

#### Land transport

USDOT

Not classified as a dangerous good under transport regulations

#### Sea transport

IMDG

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHSM  
Marine pollutant: YES  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains DINOTEFURAN, ALPHA-CYPERMETHRIN)

#### Air transport

IATA/ICAO

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains DINOTEFURAN, ALPHA-CYPERMETHRIN)

#### Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

### 15. Regulatory Information

#### Federal Regulations

##### Registration status:

Crop Protection TSCA, US released / exempt

**EPCRA 311/312 (Hazard categories):** Refer to SDS section 2 for GHS hazard classes applicable for this product.

**Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:**

**BASF Risk Assessment, CA Prop. 65:**

# Safety Data Sheet

## Ridesco WG Insecticide

Revision date: 2024/06/25  
Version: 4.0

Page: 13/13  
(30780182/SDS\_CPA\_US/EN)

Based on an evaluation of the product's composition and the use(s), this product does not require a California Proposition 65 Warning.

### Labeling requirements under FIFRA

This chemical is a pesticide product regulated by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION:

HARMFUL IF SWALLOWED.

CAUSES SKIN IRRITATION.

Causes moderate eye irritation.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

## 16. Other Information

### SDS Prepared by:

BASF NA Product Regulations

SDS Prepared on: 2024/06/25

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.  
END OF DATA SHEET